

Developing a Common Visual Literacy Amongst First Year Chemistry Students

Hayden Dickson^a, Christopher Thompson^a, Paddy O'Toole^b

Corresponding author: Hayden Dickson (haydendickson@yahoo.com.au)

^aSchool of Chemistry, Monash University, Clayton Victoria 3168, Australia

^bFaculty of Education, Monash University, Clayton Victoria 3168, Australia

Keywords: chemistry, representation, student drawings, diagrams, alternative conceptions, misconceptions, submicro

International Journal of Innovation in Science and Mathematics Education, 25(1), 1-13, 2017.

Abstract

During the course of their studies, chemistry students are exposed to multiple, progressively more sophisticated models of submicro scale particles. In this paper we report on the introduction of submicro drawing questions into a first year university chemistry laboratory program with the aim of revealing alternative conceptions that may have gone undiagnosed using traditional teaching methods. Ultimately, such questions are beneficial as a learning tool incorporated into a learning process aimed at improving students' conceptual understanding of fundamental chemistry concepts. Introducing submicro drawing questions involved developing a common visual literacy amongst students to enable comparable drawings to be produced for assessment purposes. This process included asking students to attempt three drawing tasks while following research informed guidelines worded to allow visual diagnosis of a range of commonly reported alternative conceptions.

Introduction

Although models are personal representations of reality constructed by people to make sense of the world around them (Akaygun & Jones, 2013), Coll and Treagust (2003) point out that through a process of social negotiation, individual mental models can become scientific models when widely accepted by the scientific community. These models in turn need to be appropriately modified when used in teaching so that the level of detail is comprehensible and clearly understood by the learner. Secondary and tertiary textbooks use a variety of visual representations to introduce fundamental chemistry concepts with a study by Noh and Scharmann (1997) concluding that instruction using submicro representations helped students construct more scientifically correct conceptions than traditional instruction. Chemistry teachers and educational researchers have recognised the importance of visualisation for the learning of chemistry (Wu & Shah, 2004) and therefore developing students' visualisation skills is important for the learning of chemistry (Gilbert, 2005).

Representations are often used in society to communicate understanding more effectively or efficiently (Hill, Sharma, O'Byrne, & Airey, 2014) and are used in educational environments to support understanding by being incorporated into, for example, worksheets (Hill & Sharma, 2015), audio visual animation (Tasker & Dalton, 2006) and online learning modules (Hill, Sharma, & Johnston, 2015). Chemists have developed a variety of representations such as molecular models to investigate natural phenomena through the ideas of atoms and their derivatives and the relationship between them (Hoffmann & Laszlo, 1991). Ainsworth, Prain, and Tytler (2011) suggest that scientists rely on visual representations to test ideas, make discoveries, explain findings, and generate public interest. However, rather than being

encouraged to generate their own visualizations to demonstrate understanding, science students mainly focus on interpreting models of how others visualize scientific concepts. Ainsworth, Prain, & Tytler (2011) argue that while being able to interpret the visual representations of others is critical for learning science, the ability to develop their own representational skills is required for students to become proficient. They argue that student drawings should be explicitly recognised alongside writing, reading, and talking as a key element in science education as they can be used to help students represent, reason and communicate in science as well as being used as a learning strategy and enhancing engagement.

Based on education research, De Vos and Verdonk (1996), suggest a dilemma is faced by curriculum developers when a topic such as bonding proves difficult to teach and learn. An adapted version can be more appreciated by students and perhaps also by instructors, however it can be criticized by experts as being incomplete or incorrect resulting in the need to find a compromise. However, it has been argued by Gomez and Martin (2003) that simplified teaching models are something scientists should appreciate, as many of the models of molecules, atoms and chemical bonds used within the chemical community are actually themselves much less sophisticated than the most precise models currently available.

Bonding is an important concept in chemistry and various bonding models are used by chemists to explain many properties of substances and the changes that occur during chemical reactions (Taber & Coll, 2003), however there are prevalent and consistent alternative conceptions in this area (Coll & Treagust, 2001). Students at the secondary level of education are commonly taught about chemical bonding as being dichotomous despite clear agreement in the scientific community that most bonds are polar (Levy Nahum, Mamlok-Naaman, Hofstein, & Taber, 2010). This means that progression to an understanding of more sophisticated bonding models requires students to shift their thinking about bonding from being either ionic or covalent to instead understanding bonding as a ionic-covalent continuum with no pure ionic compounds known and nearly all bonds being understood as polar (Taber, 2011). The metallic bonding model is presented as being entirely different from the covalent one, however it can also be explained in terms of a continuum scale with a greater emphasis on the degree of electron delocalization (Nahum, Mamlok-Naaman, Hofstein, & Krajcik, 2007). Although introducing bond types as either ionic or covalent can provide a conceptual basis for progression to a more sophisticated models Taber (1998) suggests that with most textbooks describing covalent and ionic bonds as ‘real’ chemical bonds, and hydrogen and van der Waals bonds as ‘just forces’, learning about bonding as a dichotomy can act as a learning impediment that interferes with later learning about bonding as a continuum. Hurst (2002) suggests that as all chemical bonds result from electrostatic forces they should be presented based on one central model, as presenting different ‘types’ of bonds is misleading. A study by Coll and Treagust (2003) put forward a number of recommendations in regards to bonding models that include:

- they should be comprehensible to students and appropriate for their needs, especially considering that many students will not proceed past first year chemistry;
- instructors need to be clear about the limitations of models, such as the ionic-covalent continuum and that specific alternative conceptions should be identified and addressed.

In this paper, I report on the introduction of submicro drawing questions into a first year university chemistry laboratory program with the aim of revealing alternative conceptions that may have gone undiagnosed using traditional teaching methods. In the next section, the context and methods are outlined, followed by the results and discussion. Finally, it is concluded that

drawing questions can be tailored to diagnose a range of alternative conceptions concerning fundamental chemistry concepts and can be used as a useful assessment tool.

Context and Methods

The participants for this study were 824 first year general chemistry students at a large university in Victoria, Australia, who had reached varying levels of chemistry education ranging from year 10 sciences through to year 12 chemistry. Students were invited to attempt three non-assessed drawing questions during week one of semester 1, 2014 and watch a short video presentation during week 2. The participants were informed that the drawing questions and video were part of the preparation for assessable drawing questions they would be asked to attempt during the semester. This paper extends on previous research into visually diagnosing alternative conceptions held by chemistry students (Dickson, Thompson, & O'Toole 2016).

Results and Discussion

This section describes how students were introduced to attempting comparable submicro diagrams and the criteria which the drawings were assessed against. This is followed by examples of participants' diagrams for water, solid sodium chloride and aqueous sodium chloride as well as references to relevant alternative conceptions from the literature.

Developing a common visual literacy

For the implementation of drawing questions to be successful, students needed to be able to generate comparable drawings for assessment purposes. Students were invited to complete three drawing questions which involved representing water molecules, followed by solid sodium chloride and finally a sodium chloride solution. Students were asked to include a brief written explanation of the interactions between the particles on their diagrams and the questions were accompanied by the guidelines listed in Figure 1. The guidelines were worded based on preliminary research to allow comparable drawings to be generated and a range of alternative conceptions to be visually diagnosed. However, it was left to the participants to express their understanding of concepts such as molecular geometry, relative sizes of atoms and ions and the interactions between the chemical entities in their diagrams.

- Represent atoms and ions as circles
- Identify each circle with a chemical symbol either on your diagram or on a legend
- Indicate charged species with a plus or minus sign either on your diagram or a legend
- Represent covalent bonding with overlapping circles and all other types of bonding with circles that are either touching or very close together

Figure 1: Guidelines for drawing questions

Video presentation

The short video shown at the start of the week two laboratory session reiterated the drawing question guidelines and provided examples of diagrams that indicated commonly held alternative conceptions associated with the week one drawing questions. The examples used for solid sodium chloride are shown in Figure 2 and were accompanied by dialogue explaining why they were considered alternative conceptions.




Figure 2: Solid sodium chloride representations associated with alternative conceptions

Although there are many ways to represent submicro particles that can reveal alternative conceptions there are also many ways of representing them that align with the commonly accepted scientific consensus. For example, an ionic solid could be represented three dimensionally (which might be better understood using connecting lines) or as a two dimensional slice through the crystal in which case connecting lines could be omitted with the diagram still able to be understood. Figure 3 was the example used in the video of one way that solid sodium chloride could be represented.




Figure 3: An example of one way solid sodium chloride can be represented

Participant drawings

The criteria for assessing participants' drawings was developed using a grounded approach and are discussed later in this paper. There were numerous diagrams produced by participants during this study that would have been interpreted as alternative conceptions if a written description was not provided. However, there were also many diagrams that would have been considered scientifically acceptable until the written explanation was taken into account. For this reason, a response that included both a diagram and written explanation was only deemed to have met a particular criterion if both the diagram and written explanation were in agreement. The examples provided in this paper are all from different participants with Figures 4 to 6 inclusive provided as examples of responses where there was inconsistency between the diagram and the accompanying written explanation. All the written explanations that accompany diagrams are transcribed verbatim.

The diagrams in Figures 4 and 5 suggest that the participants have a sound understanding of the electrostatic nature of ionic bonding with both diagrams showing alternating, non-overlapping, charged particles. However the written description for Figure 4 refers to "atoms", while Figure 5 refers to "molecules".




Figure 4: A participant's representation of solid sodium chloride containing atoms




Figure 5: A participant's representation of solid sodium chloride containing molecules

The diagram in Figure 6 indicates the participant has a sound understanding of the dissolution process of an ionic solid in water. The diagram shows a water molecule with a slightly negative charge on the oxygen, a slightly positive charge on one of the hydrogens and dissociated ions. The written description indicates that the participant understands that the ionic solid predominantly dissociates into its constituent ions when dissolved in water, however, the description then states that a chemical reaction follows to form hydrochloric acid.




Figure 6: A participant's representation of sodium chloride chemically reacting with water

Drawings for water


Alternative conceptions reported in the chemistry education literature relating to water include: hydrogen atoms are as large or larger than oxygen atoms in water molecules (Kelly & Jones, 2007; Nyachwaya et al., 2011); water molecules are linear in geometry (Kelly & Jones, 2007; Nyachwaya et al., 2011; Peterson & Treagust, 1989) and an incorrect formula for water (Kelly & Jones, 2007; Kern, Wood, Roehrig, & Nyachwaya, 2010; Nyachwaya et al., 2011).

The criteria used to assess participants' responses are listed in Table 1. The guideline for drawing questions asking that *atoms and ions be drawn as circles* allowed the alternative conception relating to relative atom and ion sizes to be diagnosed and the alternative conception relating to molecular geometry to be diagnosed more easily. The guideline asking that *each circle be identified with a chemical symbol* allowed the alternative conception concerning an incorrect formula to be diagnosed.

Table 1: Responses for water not meeting one or more criterion

Criteria for water	Responses not meeting criterion
Correct relative atomic sizes	25%
Bent geometry	4%
Correct connectivity	1%
Correct formula	6%

Figure 7 is an example of a response that met all the criteria for water and demonstrated a sound conceptual understanding of the structure and properties of water molecules.

**Figure 7: A participant's representation that met all criteria for water**

A response met the *correct relative atomic sizes* criterion if the hydrogen atom was shown as being smaller than the oxygen atom. A significant contributing factor for this criterion not being met was a number of responses not following the guidelines, instead drawing Lewis structures. A response met the *bent geometry* criterion if water molecules were drawn as being bent in shape and not linear. A response was considered to have met the *correct connectivity* criterion if both hydrogens were drawn as being covalently bonded to a single oxygen atom. A response met the *correct formula* criterion if a water molecule was depicted as being formed from two hydrogen atoms and one oxygen atom. Kern et al. (2010) and Nyachwaya et al. (2011) both use the term 'dyslexic' when referring to students diagrams that are drawn with the incorrect formula. Nyachwaya et al. (2011) suggest that this error may stem from students having difficulty expressing their understanding when moving between the symbolic and submicro levels of representation.

Drawings for solid sodium chloride

Alternative conceptions reported in the chemistry education literature relating to ionic solids include: ionic solids contain molecules (Butts & Smith, 1987; Coll & Taylor, 2001; Kelly & Jones, 2007; Othman, Treagust, & Chandrasegaran, 2008; Smith & Nakhleh, 2011; Taber, 1998); ionic solids are made up of atoms (Kelly & Jones, 2007; Othman et al., 2008); ionic solids contain atoms that only became ions when the compound dissolves (Othman et al., 2008); incorrect relative ion sizes, including that a sodium ion is larger than a chloride ion (Coll & Taylor, 2001; Coll & Treagust, 2003; Nyachwaya et al., 2011); an ionic bond only exists between ions where electron transfer has occurred, forming an ion pair (Othman et al., 2008; Taber, 1998; Taber, Tsaparlis, & Nakiboğlu, 2012); the charge on an ion limits the number of ionic bonds it can form (Taber et al., 2012); electrons are transferred in order for atoms to obtain full outer shell (Bodner, 1991; Coll & Treagust, 2003; Taber, 1998); intermolecular


forces including dipole-dipole and van der Waals forces exist between sodium chloride molecules (Smith & Nakhleh, 2011) and ionic solids consist of ions that have an ionic bond to some counter ions and are attracted to others by ‘just forces’ (Taber, 1994).

The criteria used to assess participants’ responses are listed in Table 2. The guideline asking that *charged species be identified with plus or minus signs* allowed the alternative conception that ionic solids consist of atoms be diagnosed. *Representing individual ions as circles* allowed the alternative conception that ionic solids consist of ion pairs to be diagnosed. While asking participants to *represent covalent bonding as overlapping circles and all other types of bonding as circles that were either touching or very close together* allowed the alternative conception that ionic solids consist of molecules to be diagnosed.

Table 2: Responses for NaCl (s) not meeting one or more criterion

Criteria for solid sodium chloride	Responses not meeting criterion
Ionic lattice, not ion pairs	13%
Ionic lattice, not molecules	29%
Ionic lattice, not atoms	17%


Figure 8 is an example of a response that met all the criteria and demonstrated a sound conceptual understanding of the structure and properties of solid sodium chloride.



They are ionic electrostatic bonds between the positive sodium ions and negative chloride ions

Figure 8: A participant’s representation that met all criteria for sodium chloride

A response met the *ionic lattice, not ion pairs; ionic lattice, not atoms* or *ionic lattice, not molecules* criterion if it indicated sodium and chloride ions existing in an ionic lattice with each ion sharing an ionic bond with all the counter ions immediately surrounding it and not as ion pairs, atoms or molecules respectively. A response not meeting the *ionic lattice, not ion pairs* criterion is provided in Figure 9.



Sodium chloride intermolecular bond ionic bond. Sodium chloride units intramolecular

Figure 9: A participant’s representation of solid sodium chloride containing ion pairs

A response not meeting the *ionic lattice, not atoms* criterion is provided as an example in Figure 10.




Figure 10: A participant's representation of solid sodium chloride containing atoms

A response not meeting the *ionic lattice, not molecules* criterion is provided as examples in figure 11. This example highlights the difficulty some participants had in understanding this concept and/or the terminology used to describe the structure of ionic solids and the forces holding them together.




Figure 11: A participant's representation of solid sodium chloride containing molecules

Ionic bonds involve electrostatic forces where an ion shares the same electrostatic attractions with all the surrounding counter ions; they do not contain atoms or molecules. However, many participants visually expressed an understanding that ionic solids contain atoms, molecules or that uni-directional bonds rather than an omnidirectional force of attraction exist resulting in the formation of ion pairs. A possible reason put forward by Taber (1998) as to why students identify ionic compounds as consisting of molecules or ion pairs is that students consider obtaining a stable octet configuration as the driving force behind atoms gaining or losing electrons. Therefore, rather than being used as a heuristic for identifying likely stable species, students commonly over-generalise the octet rule and use it as a general purpose explanation for why reactions occur.

Drawings for aqueous sodium chloride

Alternative conceptions related to the dissolution of ionic compounds in water found in the chemistry education literature include: water chemically reacts with ionic solids to form an acid and the metal oxide or hydroxide (Kelly & Jones, 2007; Naah & Sanger, 2012; Tien, Teichert, & Rickey, 2007); ionic solids dissolve as atoms or molecules (Kelly & Jones, 2007; Naah & Sanger, 2012; Nyachwaya et al., 2011; Smith & Metz, 1996; Tien et al., 2007); polyatomic ions dissociate (Naah & Sanger, 2012; Nyachwaya et al., 2011; Smith & Metz, 1996); ionic solids dissolve as ion pairs (Nyachwaya et al., 2011; Smith & Metz, 1996; Tien et al., 2007); ions form chemical bonds with water (distinct from ion-dipole or other intermolecular attractions) (Tien, Teichert, & Rickey, 2007); only weaker bonds that exist between "ionic molecules", such as "Van der Waals forces", are broken during the dissolution process (Boo, 1998); sodium chloride molecules become ions only on dissolving (Butts &

Smith, 1987) and when ionic solids dissolve, covalent bonds, not ionic bonds are being broken (Smith & Nakhleh, 2011).

The criteria used to assess participants' responses are listed in Table 3. The guideline for drawing questions asking that *charged species are identified with plus or minus signs* allowed the alternative conception that ionic solids dissolved as atoms to be diagnosed. *Representing individual ions as circles* allowed the alternative conception that ionic solids dissolved as ion pairs to be diagnosed. While asking participants to *represent covalent bonding as overlapping circles and all other types of bonding as circles that were either touching or very close together* allowed the alternative conception that ionic solids dissolve as molecules to be diagnosed.

Table 3: Responses for NaCl (aq) not meeting one or more criterion

Criteria for aqueous sodium chloride	Responses not meeting criterion
Dissociated ions, not ion pairs	13%
Dissociated ions, not molecules	19%
Dissociated ions, not atoms	3%
No chemical reaction	5%

Figure 12 is an example of a response that met all the criteria and demonstrated a sound conceptual understanding of aqueous solutions.




Figure 12: A participant's representation that met all criteria for aqueous sodium chloride

A response met the *dissociated ions, not ion pairs*; *dissociated ions, not atoms* and *dissociated ions, not molecules* criterion if sodium and chloride were depicted as ions separated from each other in a solution and not as ion pairs, atoms or molecules respectively. A response met the *no chemical reaction* criterion if it was depicted that only water molecules and sodium and chloride ions were present in the solution and that no other species had been formed.

A response not meeting the *dissociated ions, not ion pairs* criterion is provided in Figure 13.




Figure 13: A participant's representation of ion pairs attracted to water through van der Waals forces

A response not meeting the *dissociated ions, not atoms* criterion is provided in Figure 14.




Figure 14: A participant's representation of aqueous sodium chloride containing atoms

A response not meeting the *dissociated ions, not molecules* criterion is provided in Figure 15.




Figure 15: A participant's representation of a sodium chloride molecule hydrated by water

The nature of an aqueous solution is a concept that many students struggle to understand (Kelly & Jones, 2007). One reason may be that it can be unclear as to whether it involves a physical or chemical change (Naah & Sanger, 2012). A response that did not meet the *no chemical reaction* criterion is provided in Figures 16. Apart from this example all other responses not meeting this criterion indicated that sodium hydroxide and hydrochloric acid were being formed.




Figure 16: A participant's representation of sodium chloride dissolving resulting in the formation of hydrogen gas

Understanding what happens when ionic solids such as sodium chloride dissolve in water is a fundamental topic in chemistry; however, many students entering a first year chemistry course hold alternative conceptions regarding the dissolution process (Tien et al., 2007). Naah and Sanger (2012) reviewed several introductory university chemistry textbooks and listed the

conceptual and propositional knowledge statements required for students to understand the dissolution process. The list also provides a framework for assessing the appropriateness of student descriptions and particulate drawings.

Conclusion

This paper has reported on an investigation into preparing students to attempt assessable submicro drawing questions as part of a first year university chemistry laboratory program. The aim of introducing drawing questions was to visually diagnose students' alternative conceptions, which could then be addressed, and to improve students' conceptual understanding by engaging them at the submicro level of representation.

It may be argued as pointed out by Gabel, Samuel, and Hunn (1987) that poor drawings by students may be a result of being asked to represent submicro particles in a two dimensional rather than a three dimensional drawing, or that students would have drawn more accurate diagrams if they were given the criteria that the drawings were being assessed against. However, textbooks often only represent atoms and their derivatives using two dimensional drawings and limited guidelines force students to think more deeply about aspects of their drawings. The data reported in the paper have shown that drawing questions that are accompanied by research informed guidelines can be used to diagnose a range of alternative conceptions in relation to fundamental chemistry concepts and provide a basis for comparable drawings to be generated for assessment purposes.

References

- Ainsworth, S., Prain, V., & Tytler, R. (2011). Drawing to learn in Science. *Science*, 333(6046), 1096-1097.
- Akaygun, S., & Jones, L. L. (2013). Words or Pictures: A comparison of written and pictorial explanations of physical and chemical equilibria. *International Journal of Science Education* (ahead-of-print), 1-25.
- Bodner, G. M. (1991). I have found you an argument: The conceptual knowledge of beginning chemistry graduate students. *Journal of Chemical Education*, 68(5), 385.
- Boo, H. K. (1998). Students' understandings of chemical bonds and the energetics of chemical reactions. *Journal of Research in Science Teaching*, 35(5), 569-581.
- Butts, B., & Smith, R. (1987). HSC chemistry students' understanding of the structure and properties of molecular and ionic compounds. *Research in Science Education*, 17(1), 192-201.
- Coll, R., & Treagust, D. (2001). Learners' use of analogy and alternative conceptions for chemical bonding. *Australian Science Teachers Journal*, 48(1), 24-32.
- Coll, R. K., & Taylor, N. (2001). Alternative conceptions of chemical bonding held by upper secondary and tertiary students. *Research in Science & Technological Education*, 19(2), 171-191. doi: 10.1080/02635140120057713
- Coll, R. K., & Treagust, D. (2003). Investigation of secondary school, undergraduate, and graduate learners' mental models of ionic bonding. *Journal of Research in Science Teaching*, 40(5), 464-486.
- De Vos, W., & Verdonk, A. H. (1996). The particulate nature of matter in science education and in science. *Journal of Research in Science Teaching*, 33(6), 657-664. doi: 10.1002/(SICI)1098-2736(199608)33:6<657::AID-TEA4>3.0.CO;2-N
- Dickson, H., Thompson, C.D., & O'Toole, P. (2016). "A Picture is Worth a Thousand Words: Investigating First Year Chemistry Students' Ability to Visually Express Their Understanding of Chemistry Concepts." *International Journal of Innovation in Science and Mathematics Education* (formerly *CAL-laborate International*) 24(1).
- Gabel, D. L., Samuel, K., & Hunn, D. (1987). Understanding the particulate nature of matter. *Journal of Chemical Education*, 64(8), 695.
- Gilbert, J. K. (2005). Visualization: A metacognitive skill in science and science education. *Visualization in Science Education* (pp. 9-27): Springer.
- Gomez, P. J. S., & Martin, F. (2003). Quantum vs. classical chemistry in university chemistry education: A case study of the role of history in thinking the curriculum. *Chemistry Education Research and Practice*, 4(2), 131-148.

- Hill, M., Sharma, M.D., O'Byrne, J., & Airey, J. (2014). Developing and evaluating a survey for representational fluency in science. *International Journal of Innovation in Science and Mathematics Education* (formerly *CAL-laborate International*) **22**(6).
- Hill, M., & Sharma, M. (2015). Research-based worksheets on using multiple representations in science classrooms. *Teaching Science* **61**(3): 37.
- Hill, M., Sharma, D., & Johnston, H. (2015). How online learning modules can improve the representational fluency and conceptual understanding of university physics students. *European Journal of Physics* **36**(4): 045019.
- Hoffmann, R., & Laszlo, P. (1991). Representation in chemistry. *Angewandte Chemie International Edition in English*, **30**(1), 1-16.
- Hurst, M. O. (2002). How we teach molecular structure to freshmen. *Journal of Chemical Education*, **79**(6), 763.
- Kelly, R. M., & Jones, L. L. (2007). Exploring how different features of animations of sodium chloride dissolution affect students' explanations. *Journal of Science Education and Technology*, **16**(5), 413-429.
- Kern, A. L., Wood, N. B., Roehrig, G. H., & Nyachwaya, J. (2010). A qualitative report of the ways high school chemistry students attempt to represent a chemical reaction at the atomic/molecular level. *Chemistry Education Research and Practice*, **11**(3), 165-172. doi: 10.1039/C005465H
- Levy Nahum, T., Mamlok-Naaman, R., Hofstein, A., & Taber, K. S. (2010). Teaching and learning the concept of chemical bonding. *Studies in Science Education*, **46**(2), 179-207.
- Naah, B. M., & Sanger, M. J. (2012). Student misconceptions in writing balanced equations for dissolving ionic compounds in water. *Chemistry Education Research and Practice*, **13**(3), 186-194.
- Nahum, T. L., Mamlok-Naaman, R., Hofstein, A., & Krajcik, J. (2007). Developing a new teaching approach for the chemical bonding concept aligned with current scientific and pedagogical knowledge. *Science Education*, **91**(4), 579-603.
- Noh, T., & Scharmann, L. C. (1997). Instructional influence of a molecular-level pictorial presentation of matter on students' conceptions and problem-solving ability. *Journal of Research in Science Teaching*, **34**(2), 199-217.
- Nyachwaya, J. M., Mohamed, A.-R., Roehrig, G. H., Wood, N. B., Kern, A. L., & Schneider, J. L. (2011). The development of an open-ended drawing tool: An alternative diagnostic tool for assessing students' understanding of the particulate nature of matter. *Chemistry Education Research and Practice*, **12**(2), 121-132. doi: 10.1039/C1RP90017J
- Othman, J., Treagust, D. F., & Chandrasegaran, A. (2008). An investigation into the relationship between students' conceptions of the particulate nature of matter and their understanding of chemical bonding. *International Journal of Science Education*, **30**(11), 1531-1550. doi: 10.1080/09500690701459897
- Peterson, R. F., & Treagust, D. F. (1989). Grade-12 students' misconceptions of covalent bonding and structure. *Journal of Chemical Education*, **66**(6), 459.
- Smith, C., & Nakhleh, M. B. (2011). University students' conceptions of bonding in melting and dissolving phenomena. *Chemistry Education Research and Practice*, **12**(4), 398-408. doi: 10.1039/C1RP90048J
- Smith, K. J., & Metz, P. A. (1996). Evaluating student understanding of solution chemistry through microscopic representations. *Journal of Chemical Education*, **73**(3), 233. doi: 10.1021/ed073p233
- Taber, K. (1998). An alternative conceptual framework from chemistry education. *International Journal of Science Education*, **20**(5), 597-608. doi: 10.1080/0950069980200507
- Taber, K., & Coll, R.K. (2003). Bonding. In Gilbert, J.K., De Jong, O., Justi, R., Treagust, D.F., & Van Driel, J.H. (Ed.), *Chemical education towards research-based practice*. Dordrecht: Kluwer.
- Taber, K., Tsaparlis, G., & Nakiboğlu, C. (2012). Student conceptions of ionic bonding: Patterns of thinking across three European contexts. *International Journal of Science Education*, **34**(18), 2843-2873. doi: 10.1080/09500693.2012.656150
- Taber, K. S. (1994). Misunderstanding the ionic bond. *Education in Chemistry*, **31**(4), 100-102.
- Taber, K. S. (2011). Models, molecules and misconceptions: A commentary on secondary school students' misconceptions of covalent bonding. *Journal of Turkish Science Education (TUSED)*, **8**(1).
- Tasker, R., & Dalton, R. (2006). Research into practice: Visualisation of the molecular world using animations. *Chemistry Education Research and Practice* **7**(2): 141-159.
- Tien, L. T., Teichert, M. A., & Rickey, D. (2007). Effectiveness of a MORE laboratory module in prompting students to revise their molecular-level ideas about solutions. *Journal of Chemical Education*, **84**(1), 175.
- Wu, H. K., & Shah, P. (2004). Exploring visuospatial thinking in chemistry learning. *Science Education*, **88**(3), 465-492.